

Hancock County Trails Plan
Existing BLOS and PLOS Calculations

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTEDPLOS SCORE
51	375 N	200 W	100 W	299	Y	1	10				45	10.00%	3						D	F
52	375 N	100 W	Fortville Pike	299	Y	1	10				45	10.00%	3						D	F
53	500 N	700 W	600 W / Mt. Comfort	2965	N	1	11				45	10.00%	4						F	F
54	500 N	600 W / Mt. Comfort	500 W	954	N	1	11				45	10.00%	3						F	F
55	500 N	500 W	400 W	954	N	1	11				45	10.00%	4						F	F
56	500 N	400 W	300 W	655	N	1	11				45	10.00%	4						E	F
57	500 N	300 W	200 W	685	N	1	11				45	10.00%	4						E	F
58	500 N	200 W	Fortville Pike	100	N	1	11				45	10.00%	4						D	F
59	500 N	Fortville Pike	50 E	280	Y	1	11				45	10.00%	4						C	F
60	500 N	50 E	SR 9	280	Y	1	11				45	10.00%	3						D	F
61	500 N	SR 9	300 E	250	Y	1	11				35	10.00%	4						C	F
62	500 N	300 E	400 E	175	Y	1	11				45	10.00%	4						C	F
63	500 N	400 E	600 E	49	Y	1	11				45	10.00%	4						B	F
64	500 N	600 E	700 E	161	Y	1	11				45	10.00%	4						C	F
65	500N	700 E	800 E	50	Y	1	11				45	10.00%	3						C	F
66	500 N	800 E	900E	50	Y	1	11				45	10.00%	4						B	F
67	500 N	900 E	1000 E	50	Y	1	11				45	10.00%	4						B	F
68	500 N	1000 E	1050 E	50	Y	1	11				45	10.00%	3						C	F
69	600 N	700 W	600 W / Mt. Comfort	3552	N	1	11				55	10.00%	3						F	F
70	600N	600 W / Mt. Comfort	500 W	3089	N	1	11				55	10.00%	3						F	F
71	600 N	500 W	400 W	2165	N	1	11				55	10.00%	3						F	F
72	600 N	400 W	300 W	2134	N	1	11				55	10.00%	4						F	F
73	600 N	300 W	200 W	2134	N	1	11				55	10.00%	4						F	F
74	600 N	200 W	Fortville Pike	1313	N	1	11				55	10.00%	4						F	F
75	600 N	Fortville Pike	50 W	1334	N	1	12				50	10.00%	4						F	F
76	600 N	50 W	50 E	1334	N	1	12				50	10.00%	4						F	F
77	600 N	50 E	SR 9	1352	N	1	12				50	10.00%	3						F	F
78	600 N	SR 9	250 E	1434	N	1	11				50	10.00%	3						F	F
79	600 N	250 E	300 E	1170	N	1	11				50	10.00%	3						F	F
80	600 N	300 E	400 E	1170	N	1	11				50	10.00%	3						F	F
81	600 N	400 E	500 E	2165	N	1	11				50	10.00%	3						F	F
82	600 N	500 E	600 E	435	N	1	11				50	10.00%	4						E	F
83	600 N / Railroad Street	600 E	Main Street	142	N	1	11				50	10.00%	3						E	F
84	600 N	Main Street	700 E	142	N	1	11				50	10.00%	3						E	F
85	600 N	700 E	800 E	142	N	1	11				50	10.00%	3						E	F
86	600 N	800 E	875 E	154	N	1	11				50	10.00%	3						E	F
87	875 E	600 N	650 N	50	Y	1	12				45	5.00%	4						A	F
88	875 E	650 N	1000 E	50	Y	1	12				45	5.00%	4						A	F
89	875 E	1000 E	1050 E	50	Y	1	12				45	5.00%	4						A	F
90	650 N	875 E	900 E	297	Y	1	12				50	5.00%	3						B	F
91	650 N	900 E	1050 E	290	Y	1	10				45	5.00%	3						B	F
92	650 N	1050 E	Main Street / SR 109	417	Y	1	11				45	1.00%	4						A	F
93	650 N	Main Street / SR 109	1125 E	290	Y	1	11				45	5.00%	2						C	F
94	650 N	1125 E	1200 E / Main Street	478	Y	1	11				35	10.00%	3						D	F
95	SR 109	1st Street	E Street	5605	Y	1	12				30	3.00%	4		100	5	11		D	B
96	SR 109	E Street	B Street / 700 N	5605	Y	1	12				30	3.00%	4		100	5	11		D	B
97	E Street	Main Street / SR 109	Walnut Street	554	Y	1	9.5				30	1.00%	4		100	5	12		B	B
98	E Street	Walnut Street	700 N	554	N	1	9.5				30	1.00%	4						C	F
99	C Street	Main Street / SR 109	Oak St.	550	Y	1	9.5				30	1.00%	4		100	4	7		B	B
100	Oak Street	C Street	700 N	550	Y	1	9.5				30	1.00%	4						B	F

Hancock County Trails Plan
Existing BLOS and PLOS Calculations

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking, in decimals	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTED PLOS SCORE
1	500 S	Morristown Pike	500 E	652	Y	1	11				45	2.00%	4						B	F
2	500 S	500 E	600 E	710	Y	1	11				45	2.00%	4						B	F
3	400 S	450 W	400 W	478	N	1	11				45	2.00%	4						C	F
4	400S	400 W	300 W	439	N	1	11				45	2.00%	3						C	F
5	400 S	300 W	200 W	489	N	1	11				45	2.00%	3						C	F
6	400 S	200 W	100 W	723	N	1	11				45	2.00%	4						C	F
7	400 S	100 W	Meridian Rd.	791	N	1	11				45	2.00%	4						C	F
8	400 S	Meridian Rd.	Franklin Street	716	N	1	11				45	2.00%	4						C	F
9	400 S	Franklin St / 100 E	SR 9	491	N	1	11				45	2.00%	4						C	F
10	400 S	SR 9	300 E	221	N	1	11				45	2.00%	4						B	F
11	400 S	300 E	Morristown Pike	241	N	1	11				45	2.00%	3						C	F
12	400 S	Morristown Pike	500 E	106	N	1	11				45	2.00%	4						B	F
13	400 S	500 E	600 E	175	N	1	11				45	2.00%	4						B	F
14	400 S	600 E	700 E	287	N	1	11				45	2.00%	4						C	F
15	400 S	700 E	800 E	219	N	1	11				45	2.00%	4						B	F
16	300 S	600 E	700 E	698	N	1	11				45	2.00%	3						C	F
17	300 S	700 E	800 E	383	N	1	11				45	2.00%	5						C	F
18	100 S	Franklin St. / 100 E	SR 9	3926	N	1	10	0	0	0	45	12.00%	4	0.00%	30	5	5		F	E
19	100 S	SR 9	Morristown Pike	1731	N	1	10	0	0	0	35	10.00%	4	0.00%	75	5	7		F	C
20	100 S	Morristown Pike	400 E	756	Y	1	12				45	2.00%	3						B	F
21	100 S	400 E	500 E	659	Y	1	12				45	2.00%	3						B	F
22	100 S	500 E	600 E	548	Y	1	12				45	2.00%	3						A	F
23	100 S	600 E	675 E	487	N	1	12				45	2.00%	3						C	F
24	100 S	750 E	850 E	338	N	1	12				45	2.00%	3						C	F
25	21st Street	Buck Creek Rd	700 West	3148	Y	1	12				45	10.00%	4						F	F
26	21st Street / 100 N	700 West	600 W / Mt. Comfort	2563	Y	1	12				45	10.00%	4						E	F
27	100 N	600 W / Mt. Comfort	525 W	2063	Y	1	12				45	10.00%	3						E	F
28	100 N	525 W	400 W	1727	Y	1	12				45	10.00%	5						E	F
29	100 N	400 W	350 W	1743	Y	1	12				45	10.00%	5						E	F
30	100 N	350 W	300 W	1706	Y	1	12				45	10.00%	4						E	F
31	100 N	300 W	200 W	1735	Y	1	12				45	10.00%	5						E	F
32	100 N	200 W	150 W	2201	Y	1	12				45	10.00%	4						E	F
33	100 N	150 W	100 W	2201	Y	1	12				45	10.00%	3						E	F
34	100 N	100 W	Windswept Rd.	2201	Y	1	12				45	10.00%	5						E	F
35	100 N / McKenzie Rd.	Windswept Rd.	Meridian Rd.	3619	N	1	9	0	0	0	50	9.00%	3	0.00%	20	8	21		F	E
36	100 N / McKenzie Rd.	Meridian Rd.	Franklin Street	5559	N	1	9	0	0	0	50	9.00%	4	0.00%	18	5	25		F	F
37	McKenzie Rd.	Franklin St.	Broadway St.	6772	N	1	10	0	0	0	30	5.00%	3	0.00%	100	5	14		E	C
38	McKenzie Rd.	Broadway St.	SR 9	5160	N	1	12.5	0	0	0	30	8.00%	2	0.00%	100	4.5	0		F	C
39	McKenzie Rd.	SR 9	Apple St.	10789	N	1	12.5	0	0	0	30	5.00%	4	0.00%	100	4	0		E	D
40	McKenzie Rd. / 100 N	Apple St.	Blue Rd	5181	N	1	11	0	0	0	35	5.00%	3	0.00%	100	4	20		E	C
41	100 N	Blue Rd	400 E	1775	N	1	10	0	0	0	45	10.00%	2	0.00%	80	5	21		F	C
42	300 N	700 West	600 W / Mt. Comfort	2253	Y	1	12				45	10.00%	4						E	F
43	300 N	600 W / Mt. Comfort	400 W	2381	Y	1	12				50	10.00%	3						F	F
44	300 N	400 W	300 W	1930	Y	1	12				50	10.00%	4						E	F
45	300 N	300 W	200 W	2193	Y	1	12				50	10.00%	4						E	F
46	300 N	200 W	100 W	1691	N	1	12				45	10.00%	4						F	F
47	300 N	100 W	Fortville Pike	1926	N	1	9	0	0	0	45	10.00%	4	0.00%	0	0	0		F	F
48	300 N	Fortville Pike	SR 9	2030	N	1	9	0	0	0	55	35.00%	4	0.00%	0	0	0		F	F
49	300 N	SR 9	300 E	1000	N	1	12				45	10.00%	2						F	F
50	300 N	300 E	400 E	838	N	1	12				45	10.00%	3						F	F

Hancock County Trails Plan
Existing BLOS and PLOS Calculations

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTEDPLOS SCORE
101	700 N / B Street	SR 109	E Street	550	Y	1	9.5				30	2.00%	4		80	4	7		B	C
102	700 N	E Street	1125 E	550	N	1	9.5				45	2.00%	4						C	F
103	700 N	1125 E	Noble Street	550	N	1	10				45	2.00%	4						C	F
104	700 N / Lee Street	Noble Street	Main St. / 1200 E	550	N	1	10				30	2.00%	4						C	F
105	Delaware Street	700 N / Lee Street	Railroad Street	550	Y	1	9				30	1.00%	3		30	5	7		B	D
106	Railroad Street	Delaware Street	Meridian Street	550	Y	1	9				30	1.00%	3						B	F
107	Railroad Street	Meridian Street	Main St. / 1200 E	550	Y	1	10				30	1.00%	3		100	5	0		B	B
108	Main St. / 1200 E	700 N / Lee Street	South Street	1163	Y	1	14				30	2.00%	4		100	5	8		A	B
109	Main St. / 1200 E	South Street	Center Street	1163	Y	1	17.5				30	2.00%	4		100	5	3		A	B
110	Main St. / 1200 E	Center Street	Railroad Street	1163	Y	1	17.5				30	2.00%	4		100	11	0		A	B
111	SR 234	SR 67	500 W	3172	N	1	13.5	1.5			55	10.00%	4						F	E
112	SR 234	500 W	200 W	4586	N	1	13.5	1.5			55	24.00%	4						F	E
113	SR 234	200 W	Fortville Pike	2322	N	1	13.5	1.5			55	23.00%	4						F	E
114	SR 67 / Broadway	750 N	600 W / Mt. Comfort	12868	N	2	12	3	0	0	40	5.00%	4	0.00%	33	4	5	0	D	D
115	SR 67 / Broadway	600 W / Mt. Comfort	W 800 N	12634	N	1	11	6	0	0	40	5.00%	4	0.00%	17	4	28	0	C	D
116	SR 67 / Broadway	W 800 N	500 W	9590	N	1	11	6	0	0	55	5.00%	4	0.00%	0	0	0	0	C	E
117	SR 67 / Broadway	500 W	900 N	9590	N	1	11	6	0	0	55	5.00%	4	0.00%	0	0	0	0	C	E
118	SR 67 / Broadway	900 N	400 W	9900	N	1	13.5	8			55	10.00%	4						C	E
119	SR 67 / Broadway	400 W	300 W	9900	N	1	13.5	8			55	10.00%	4						C	E
120	SR 67 / Broadway	300 W	Garden Street	10400	N	1	12	9	0	0	40	10.00%	4	0.00%	10	5	40	0	C	D
121	SR 67 / Broadway	Garden Street	Main Street	14800	N	2	13	0	0	0	40	10.00%	3	0.00%	33	5	7	0	F	D
122	SR 67 / Broadway	Main Street	SR 13	15000	N	2	13	0	0	0	40	10.00%	3	0.00%	30	5	0	0	F	D
123	SR 67 / Broadway	SR 13	E Ohio Street	10000	N	1	12	10	0	0	40	10.00%	4	0.00%	0	0	0	0	B	E
124	SR 67 / Broadway	E Ohio Street	Flint Blvd.	7000	N	1	12	9	0	0	50	10.00%	4	0.00%	0	0	0	0	C	E
125	700 W	W Stinemyer Rd	US 52	381	N	1	12				50	7.00%	4						D	F
126	700 W	US 52	300 S	2070	N	1	12				50	7.00%	3						E	F
127	700 W	300 S	200 S	2770	N	1	12				50	7.00%	4						E	F
128	700 W	200 S	US 40	3012	N	1	12				50	7.00%	4						E	F
129	700 W	100 N	200 N	2954	N	1	12				45	7.00%	4						E	F
130	700 W	200 N	New Rd	2941	N	1	12				45	7.00%	4						E	F
131	700W	New Rd.	r	2450	N	1	12				45	7.00%	4						E	F
132	700 W	300 N	350 N	2541	N	1	12				45	7.00%	4						E	F
133	700 W	350N	400 N	2833	N	1	12				45	7.00%	4						E	F
134	700 W	400 N	56th St. / 500 N	1924	N	1	12				45	7.00%	4						E	F
135	700 W	56th St. / 500 N	600 N	2420	N	1	12				45	7.00%	4						E	F
136	600 W / Mt. Comfort Rd.	US 52	300 S	5394	N	1	10				45	3.00%	4						D	F
137	600 W / Mt. Comfort Rd.	300 S	200 S	5104	N	1	10				45	3.00%	4						D	F
138	600 W / Mt. Comfort Rd.	200 S	Broken Arrow Drive	5104	N	1	10				45	3.00%	4						D	F
139	600 W / Mt. Comfort Rd.	Broken Arrow Drive	100 S	5104	N	1	10	4		5	45	3.00%	5						A	E
140	600 W / Mt. Comfort Rd.	100 S	US 40	5104	N	1	10	4		5	45	3.00%	5						A	E
141	600 W / Mt. Comfort Rd.	US 40	100 N	11225	N	1	10	8			45	3.00%	4						B	E
142	600 W / Mt. Comfort Rd.	100 N	200 N	11225	N	1	10	8			45	3.00%	4						B	E
143	600 W / Mt. Comfort Rd.	200 N	300 N	13500	N	1	10	8			45	4.00%	4						B	E
144	600 W / Mt. Comfort Rd.	300 N	North Street	10911	N	1	12	8			55	10.00%	4						D	E
145	600 W / Mt. Comfort Rd.	North Street	350 N	10911	N	1	12	8			55	10.00%	4						D	E
146	600 W / Mt. Comfort Rd.	350 N	500 N	10502	N	1	12	8			55	10.00%	4						D	E
147	600 W / Mt. Comfort Rd.	500 N	600 N	8919	N	1	12	8			40	5.00%	4	0.00%	0.00	0	0	0	B	E
148	600 W / Mt. Comfort Rd.	600 N	650 N	8919	N	1	12	8			40	5.00%	4	0.00%	0.00	0	0	0	B	E
149	600 W / Mt. Comfort Rd.	650 N	700 N	8919	N	1	12	8		10	40	5.00%	5	0.00%	40.00	10	39	0	A	C
150	600 W / Mt. Comfort Rd.	700 N	700 N / Mt. Comfort Rd.	8919	N	1	12	8		10	40	5.00%	3	0.00%	80.00	10	35	0	A	B
151	600 W / Mt. Comfort Rd.	750 N	SR 67 / Broadway	8919	N	1	12	10			40	5.00%	3	0.00%	10.00	10	32	0	A	D
152	600 W / Mt. Comfort Rd.	SR 67 / Broadway	800 N	12634	N	1	12	0			40	5.00%	3	0.00%	0.00	0	0	0	E	F

Hancock County Trails Plan
Existing BLOS and PLOS Calculations

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTED PLOS SCORE
153	600 W / Mt. Comfort Rd.	800 N	900 N	12019	N	1	12	8		8	40	5.00%	4		100.00	8	37	0	A	B
154	600 W / Mt. Comfort Rd.	900 N	CR 1000 / 96th St	12019	N	1	12	8		8	40	5.00%	4		100.00	8	33	0	A	B
155	500 W	US 52	RR Crossing	5900	N	1	10				30	4.00%	4						D	F
156	500 W	RR Crossing	Stonehaven Ln	5900	N	1	10				30	4.00%	4		100.00	6	8		D	B
157	500 W	Stonehaven Ln	Cedar Cove Dr.	5900	N	1	10				30	4.00%	4		100.00	5	8		D	B
158	500 W	Cedar Cove Dr.	300 S	5900	N	1	10				40	4.00%	4						E	F
159	500 W	300 S	200 S	5900	N	1	10				50	5.00%	4						E	F
160	500 W	200 S	100S	5900	N	1	10				50	5.00%	4						E	F
161	500 W	100 S	US 40	5900	N	1	10				45	5.00%	4						E	F
162	500 W	600 N	700 N	868	N	1	9	0	0	0	50	1.00%	3	0.00%	0.00	0	0	0	D	F
163	500 W	700 N	SR 234	828	N	1	9	0	0	0	50	1.00%	4	0.00%	0.00	0	0	0	C	F
164	500 W	SR 234	900 N	984	N	1	9	0	0	0	45	1.00%	4	0.00%	0.00	0	0	0	C	F
165	500 W	900 N	1000 N	664	N	1	9	0	0	0	50	1.00%	3	0.00%	0.00	0	0	0	C	F
166	200 W	US 40	100 N	2217	N	1	10				45	5.00%	4						E	F
167	200 W	100 N	200 N	1937	N	1	10				45	5.00%	4						D	F
168	200 W	200 N	300 N	1760	N	1	10				45	5.00%	4						D	F
169	200 W	300 N	380 N	1612	N	1	10				45	5.00%	4						D	F
170	200 W	380 N	400 N	1612	N	1	10				30	5.00%	4						D	F
171	200 W	400 N	Grace Baptist Church	1364	N	1	10				30	5.00%	3		100.00	4	15		D	B
172	200 W	Grace Baptist Church	500 N	1364	N	1	10				45	5.00%	3						E	F
173	200 W	500 N	600 N	1210	N	1	10				50	5.00%	5						D	F
174	200 W	600 N	700 N	1758	N	1	11				55	5.00%	4						D	F
175	200 W	700 N	SR 234	1037	N	1	11				55	5.00%	4						D	F
176	200 W	SR 234	900 N	2700	N	1	12	0	0	0	45	10.00%	3						F	F
177	200 W	900 N	Fortville Pike	2700	N	1	12	0	0	0	45	10.00%	4						F	F
178	Franklin St.	400 S	300 S	1132	N	1	10				50	5.00%	3						E	F
179	Franklin St.	300 S	200 S	1380	N	1	10				50	5.00%	4						D	F
180	Franklin St.	200 S	100 S	1630	N	1	10				50	5.00%	3						E	F
181	Franklin St.	100 S	Tague Street	4913	N	1	11.5	6	0	0	45	8.00%	3.5	0.00%	0.00	0	0	0	D	E
182	Franklin St.	Tague Street	US 40	5776	N	1	11	0	0	0	35	8.00%	3.5	0.00%	0.00	5	5	0	F	D
183	Franklin St.	US 40	7th Street	3618	N	1	14	0	0	0	30	8.00%	3	0.00%	0.00	3.5	5	0	E	D
184	Franklin St.	7th Street	McKenzie Rd. / 100 N	4913	N	1	10	0	0	0	35	8.00%	3.5	0.00%	0.00	5	11	0	F	D
185	Franklin St.	McKenzie Rd. / 100 N	200 N / New Rd	3216	N	1	9.5	0	0	0	40	8.00%	2.5	0.00%	0.00	8	10	0	F	D
186	Frnaklin St. / Fortville Pike	200 N / New Rd.	300 N	2340	N	1	9.5	0	0	0	45	8.00%	3	0.00%	0.00	8	19	0	F	D
187	Fortville Pike	300 N	375 N	3949	N	1	10				50	10.00%	4						F	F
188	Fortville Pike	375 N	500 N	3557	N	1	10				50	10.00%	4						F	F
189	Fortville Pike	500 N	600 N	3034	N	1	10				50	10.00%	4						F	F
190	Fortville Pike	600 N	700 N	2589	N	1	10				50	10.00%	4						F	F
191	Fortville Pike	700 N	SR 234	2574	N	1	10				50	10.00%	4						F	F
192	Fortville Pike	SR 234	900 N	4200	N	1	11	0	0	0	55		3						D	F
193	Fortville Pike	900 N	200 W	3400	N	1	11	0	0	0	45	4.00%	3						E	F
194	Fortville Pike	200 W	Saundra Street	3400	N	1	11	0	0	0	45	4.00%	3						E	F
195	Fortville Pike	Saundra Street	Garden St / 1000 N	3400	N	1	11	0	0	0	30	4.00%	3						D	F
196	Fortville Pike	Garden St / 1000 N	SR 67 / Broadway St	6900	N	1	11	0	8	0	30	4.00%	3	12.00%	100.00	4	7		B	B
197	400 E	100 S	US 40	450	Y	1	10				55	5.00%	3						C	F
198	400 E	US 40	100 N	1364		1	8.5	0	0	0	45	32.00%	1	0.00%	0.00	8	16	0	F	D
199	400 E	100 N	200 N	1000	Y	1	10				55	5.00%	4						C	F
200	400 E	200 N	300 N	1039	Y	1	10				55	5.00%	4						C	F
201	400 E	300 N	400 N	997	Y	1	10				55	5.00%	5						C	F
202	400 E	400 N	500 N	184	Y	1	10				55	5.00%	3						B	F
203	400 E	500 N	600 N	470	Y	1	10				55	5.00%	4						C	F

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking, in decimals	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTED PLOS SCORE
1	500 S	Morristown Pike	500 E	652	Y	1	11				45	2.00%	4						B	F
2	500 S	500 E	600 E	710	Y	1	11				45	2.00%	4						B	F
3	400 S	450 W	400 W	478	N	1	11	10		10	45	2.00%	4		100	10	10		A	B
4	400S	400 W	300 W	439	N	1	11	10		10	45	2.00%	3		100	10	10		A	B
5	400 S	300 W	200 W	489	N	1	11	10		10	45	2.00%	3		100	10	10		A	B
6	400 S	200 W	100 W	723	N	1	11	10		10	45	2.00%	4		100	10	10		A	B
7	400 S	100 W	Meridian Rd.	791	N	1	11	10		10	45	2.00%	4		100	10	10		A	B
8	400 S	Meridian Rd.	Franklin Street	716	N	1	11	10		10	45	2.00%	4		100	10	10		A	B
9	400 S	Franklin St / 100 E	SR 9	491	N	1	11	10		10	45	2.00%	4		100	10	10		A	B
10	400 S	SR 9	300 E	221	N	1	11				45	2.00%	4						B	F
11	400 S	300 E	Morristown Pike	241	N	1	11				45	2.00%	5						B	F
12	400 S	Morristown Pike	500 E	106	N	1	11				45	2.00%	4						B	F
13	400 S	500 E	600 E	175	N	1	11				45	2.00%	4						B	F
14	400 S	600 E	700 E	287	N	1	11				45	2.00%	4						C	F
15	400 S	700 E	800 E	219	N	1	11				45	2.00%	4						B	F
16	300 S	600 E	700 E	698	N	1	11				45	2.00%	3						C	F
17	300 S	700 E	800 E	383	N	1	11				45	2.00%	5						C	F
18	100 S	Franklin St. / 100 E	SR 9	3926	N	1	10	0	0	0	45	12.00%	4	0.00	30	5	5		F	E
19	100 S	SR 9	Morristown Pike	1731	N	1	10	0	0	0	35	10.00%	4	0.00	75	5	7		F	C
20	100 S	Morristown Pike	400 E	756	Y	1	12				40	2.00%	5						A	F
21	100 S	400 E	500 E	659	Y	1	12				40	2.00%	5						A	F
22	100 S	500 E	600 E	548	Y	1	12				40	2.00%	5						A	F
23	100 S	600 E	675 E	487	N	1	12				40	2.00%	5						C	F
24	100 S	750 E	850 E	338	N	1	12				40	2.00%	5						B	F
25	21st Street	Buck Creek Rd	700 West	3148	Y	1	12	10		10	45	10.00%	4	0.00	100	10	10		A	B
26	21st Street / 100 N	700 West	600 W / Mt. Comfort	2563	Y	1	12	10		10	45	10.00%	4	0.00	100	10	10		A	B
27	100 N	600 W / Mt. Comfort	525 W	2063	Y	1	12	10		10	45	10.00%	3	0.00	100	10	10		A	B
28	100 N	525 W	400 W	1727	Y	1	12	10		10	45	10.00%	5	0.00	100	10	10		A	B
29	100 N	400 W	350 W	1743	Y	1	12	10		10	45	10.00%	5	0.00	100	10	10		A	B
30	100 N	350 W	300 W	1706	Y	1	12	10		10	45	10.00%	4	0.00	100	10	10		A	B
31	100 N	300 W	200 W	1735	Y	1	12	10		10	45	10.00%	5	0.00	100	10	10		A	B
32	100 N	200 W	150 W	2201	Y	1	12	10		10	45	10.00%	4	0.00	100	10	10		A	B
33	100 N	150 W	100 W	2201	Y	1	12	10		10	45	10.00%	3	0.00	100	10	10		A	B
34	100 N	100 W	Windswept Rd.	2201	Y	1	12	10		10	45	10.00%	5	0.00	100	10	10		A	B
35	100 N / McKenzie Rd.	Windswept Rd.	Meridian Rd.	3619	N	1	9	0	0	0	50	9.00%	3	0.00	20	8	21		F	E
36	100 N / McKenzie Rd.	Meridian Rd.	Franklin Street	5559	N	1	9	0	0	0	50	9.00%	4	0.00	18	5	25		F	F
37	McKenzie Rd.	Franklin St.	Broadway St.	6772	N	1	10	0	0	0	30	5.00%	3	0.00	100	5	14		E	C
38	McKenzie Rd.	Broadway St.	SR 9	5160	N	1	12.5	0	0	0	30	8.00%	2	0.00	100	4.5	0		F	C
39	McKenzie Rd.	SR 9	Apple St.	10789	N	1	12.5	0	0	0	30	5.00%	4	0.00	100	4	0		E	D
40	McKenzie Rd. / 100 N	Apple St.	Blue Rd	5181	N	1	11	0	0	0	35	5.00%	3	0.00	100	4	20		E	C
41	100 N	Blue Rd	400 E	1775	N	1	10	0	0	0	45	10.00%	2	0.00	80	5	21		F	C
42	300 N	700 West	600 W / Mt. Comfort	2253	Y	1	12				45	10.00%	4						E	F
43	300 N	600 W / Mt. Comfort	400 W	2381	Y	1	12				50	10.00%	3						F	F
44	300 N	400 W	300 W	1930	Y	1	12				50	10.00%	4						E	F
45	300 N	300 W	200 W	2193	Y	1	12				50	10.00%	4						E	F
46	300 N	200 W	100 W	1691	N	1	12	10		10	45	10.00%	4		100	10	10		A	B
47	300 N	100 W	Fortville Pike	1926	N	1	9	10	0	10	45	10.00%	4	0.00	100	10	10		A	B
48	300 N	Fortville Pike	SR 9	2030	N	1	9	0	0	0	55	35.00%	4	0.00	0	0	0		F	F
49	300 N	SR 9	300 E	1000	N	1	12				45	10.00%	2						F	F
50	300 N	300 E	400 E	838	N	1	12				45	10.00%	3						F	F

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTEDPLOS SCORE
51	375 N	200 W	100 W	299	Y	1	10				45	10.00%	3						D	F
52	375 N	100 W	Fortville Pike	299	Y	1	10				45	10.00%	3						D	F
53	500 N	700 W	600 W / Mt. Comfort	2965	N	1	11				45	10.00%	4						F	F
54	500 N	600 W / Mt. Comfort	500 W	954	N	1	11				45	10.00%	3						F	F
55	500 N	500 W	400 W	954	N	1	11				45	10.00%	4						F	F
56	500 N	400 W	300 W	655	N	1	11				45	10.00%	4						E	F
57	500 N	300 W	200 W	685	N	1	11				45	10.00%	4						E	F
58	500 N	200 W	Fortville Pike	100	N	1	11				45	10.00%	4						D	F
59	500 N	Fortville Pike	50 E	280	Y	1	11				45	10.00%	4						C	F
60	500 N	50 E	SR 9	280	Y	1	11				45	10.00%	3						D	F
61	500 N	SR 9	300 E	250	Y	1	11				35	10.00%	4						C	F
62	500 N	300 E	400 E	175	Y	1	11				45	10.00%	4						C	F
63	500 N	400 E	600 E	49	Y	1	11				45	10.00%	4						B	F
64	500 N	600 E	700 E	161	Y	1	11				45	10.00%	4						C	F
65	500N	700 E	800 E	50	Y	1	11				45	10.00%	3						C	F
66	500 N	800 E	900E	50	Y	1	11				45	10.00%	4						B	F
67	500 N	900 E	1000 E	50	Y	1	11				45	10.00%	4						B	F
68	500 N	1000 E	1050 E	50	Y	1	11				45	10.00%	3						C	F
69	600 N	700 W	600 W / Mt. Comfort	3552	N	1	11	10		10	55	10.00%	3		100	10	10		A	B
70	600N	600 W / Mt. Comfort	500 W	3089	N	1	11	10		10	55	10.00%	3		100	10	10		A	B
71	600 N	500 W	400 W	2165	N	1	11	10		10	55	10.00%	3		100	10	10		A	B
72	600 N	400 W	300 W	2134	N	1	11	10		10	55	10.00%	4		100	10	10		A	B
73	600 N	300 W	200 W	2134	N	1	11	10		10	55	10.00%	4		100	10	10		A	B
74	600 N	200 W	Fortville Pike	1313	N	1	11				55	10.00%	4						F	F
75	600 N	Fortville Pike	50 W	1334	N	1	12				50	10.00%	4						F	F
76	600 N	50 W	50 E	1334	N	1	12				50	10.00%	4						F	F
77	600 N	50 E	SR 9	1352	N	1	12				50	10.00%	3						F	F
78	600 N	SR 9	250 E	1434	N	1	11				50	10.00%	3						F	F
79	600 N	250 E	300 E	1170	N	1	11				50	10.00%	3						F	F
80	600 N	300 E	400 E	1170	N	1	11				50	10.00%	3						F	F
81	600 N	400 E	500 E	2165	N	1	11				50	10.00%	3						F	F
82	600 N	500 E	600 E	435	N	1	11				50	10.00%	4						E	F
83	600 N / Railroad Street	600 E	Main Street	142	N	1	11				50	10.00%	3						E	F
84	600 N	Main Street	700 E	142	N	1	11				50	10.00%	3						E	F
85	600 N	700 E	800 E	142	N	1	11				50	10.00%	3						E	F
86	600 N	800 E	875 E	154	N	1	11				50	10.00%	3						E	F
87	875 E	600 N	650 N	50	Y	1	12				45	5.00%	4						A	F
88	875 E	650 N	1000 E	50	Y	1	12				45	5.00%	4						A	F
89	875 E	1000 E	1050 E	50	Y	1	12				45	5.00%	4						A	F
90	650 N	875 E	900 E	297	Y	1	12				50	5.00%	3						B	F
91	650 N	900 E	1050 E	290	Y	1	10				45	5.00%	3						B	F
92	650 N	1050 E	Main Street / SR 109	417	Y	1	11				45	1.00%	4						A	F
93	650 N	Main Street / SR 109	1125 E	290	Y	1	11				45	5.00%	2						C	F
94	650 N	1125 E	1200 E / Main Street	478	Y	1	11				35	10.00%	3						D	F
95	SR 109	1st Street	E Street	5605	Y	1	12				30	3.00%	4		100	5	11		D	B
96	SR 109	E Street	B Street / 700 N	5605	Y	1	12				30	3.00%	4		100	5	11		D	B
97	E Street	Main Street / SR 109	Walnut Street	554	Y	1	9.5				30	1.00%	4		100	5	12		B	B
98	E Street	Walnut Street	700 N	554	N	1	9.5				30	1.00%	4						C	F
99	C Street	Main Street / SR 109	Oak St.	550	Y	1	9.5				30	1.00%	4		100	4	7		B	B
100	Oak Street	C Street	700 N	550	Y	1	9.5				30	1.00%	4						B	F

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTEDPLOS SCORE
101	700 N / B Street	SR 109	E Street	550	Y	1	9.5				30	2.00%	4		80	4	7		B	C
102	700 N	E Street	1125 E	550	N	1	9.5				45	2.00%	4						C	F
103	700 N	1125 E	Noble Street	550	N	1	10				45	2.00%	4						C	F
104	700 N / Lee Street	Noble Street	Main St. / 1200 E	550	N	1	10				30	2.00%	4						C	F
105	Delaware Street	700 N / Lee Street	Railroad Street	550	Y	1	9				30	1.00%	3		30	5	7		B	D
106	Railroad Street	Delaware Street	Meridian Street	550	Y	1	9				30	1.00%	3						B	F
107	Railroad Street	Meridian Street	Main St. / 1200 E	550	Y	1	10				30	1.00%	3		100	5	0		B	B
108	Main St. / 1200 E	700 N / Lee Street	South Street	1163	Y	1	14				30	2.00%	4		100	5	8		A	B
109	Main St. / 1200 E	South Street	Center Street	1163	Y	1	17.5				30	2.00%	4		100	5	3		A	B
110	Main St. / 1200 E	Center Street	Railroad Street	1163	Y	1	17.5				30	2.00%	4		100	11	0		A	B
111	SR 234	SR 67	500 W	3172	N	1	13.5	1.5			55	10.00%	4						F	E
112	SR 234	500 W	200 W	4586	N	1	13.5	1.5			55	24.00%	4						F	E
113	SR 234	200 W	Fortville Pike	2322	N	1	13.5	1.5			55	23.00%	4						F	E
114	SR 67 / Broadway	750 N	600 W / Mt. Comfort	12868	N	2	12	3	0	0	40	5.00%	4	0.00%	33	4	5	0	D	D
115	SR 67 / Broadway	600 W / Mt. Comfort	W 800 N	12634	N	1	11	6	0	0	40	5.00%	4	0.00%	17	4	28	0	C	D
116	SR 67 / Broadway	W 800 N	500 W	9590	N	1	11	6	0	0	55	5.00%	4	0.00%	0	0	0	0	C	E
117	SR 67 / Broadway	500 W	900 N	9590	N	1	11	6	0	0	55	5.00%	4	0.00%	0	0	0	0	C	E
118	SR 67 / Broadway	900 N	400 W	9900	N	1	13.5	8			55	10.00%	4						C	E
119	SR 67 / Broadway	400 W	300 W	9900	N	1	13.5	8			55	10.00%	4						C	E
120	SR 67 / Broadway	300 W	Garden Street	10400	N	1	12	9	0	0	40	10.00%	4	0.00%	10	5	40	0	C	D
121	SR 67 / Broadway	Garden Street	Main Street	14800	N	2	13	0	0	0	40	10.00%	3	0.00%	33	5	7	0	F	D
122	SR 67 / Broadway	Main Street	SR 13	15000	N	2	13	0	0	0	40	10.00%	3	0.00%	30	5	0	0	F	D
123	SR 67 / Broadway	SR 13	E Ohio Street	10000	N	1	12	10	0	0	40	10.00%	4	0.00%	0	0	0	0	B	E
124	SR 67 / Broadway	E Ohio Street	Flint Blvd.	7000	N	1	12	9	0	0	50	10.00%	4	0.00%	0	0	0	0	C	E
125	700 W	W Stinemyer Rd	US 52	381	N	1	12				50	7.00%	4						D	F
126	700 W	US 52	300 S	2070	N	1	12				50	7.00%	3						E	F
127	700 W	300 S	200 S	2770	N	1	12				50	7.00%	4						E	F
128	700 W	200 S	US 40	3012	N	1	12				50	7.00%	4						E	F
129	700 W	100 N	200 N	2954	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
130	700 W	200 N	New Rd	2941	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
131	700W	New Rd.	300 N	2450	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
132	700 W	300 N	350 N	2541	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
133	700 W	350N	400 N	2833	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
134	700 W	400 N	56th St. / 500 N	1924	N	1	12	10		10	45	7.00%	4	100.00	10	10			A	B
135	700 W	56th St. / 500 N	600 N	2420	N	1	12				45	7.00%	4						E	F
136	600 W / Mt. Comfort Rd.	US 52	300 S	5394	N	1	10	3		5	45	3.00%	4						B	E
137	600 W / Mt. Comfort Rd.	300 S	200 S	5104	N	1	10	3		5	45	3.00%	4						B	E
138	600 W / Mt. Comfort Rd.	200 S	Broken Arrow Drive	5104	N	1	10	3		5	45	3.00%	4						B	E
139	600 W / Mt. Comfort Rd.	Broken Arrow Drive	100 S	5104	N	1	10	4		5	45	3.00%	5						A	E
140	600 W / Mt. Comfort Rd.	100 S	US 40	5104	N	1	10	4		5	45	3.00%	5						A	E
141	600 W / Mt. Comfort Rd.	US 40	100 N	11225	N	1	10	3		5	45	3.00%	4						B	E
142	600 W / Mt. Comfort Rd.	100 N	200 N	11225	N	1	10	3		5	45	3.00%	4						B	E
143	600 W / Mt. Comfort Rd.	200 N	300 N	13500	N	1	10	3		5	45	4.00%	4						B	E
144	600 W / Mt. Comfort Rd.	300 N	North Street	10911	N	1	12	3		5	35	10.00%	4						C	E
145	600 W / Mt. Comfort Rd.	North Street	350 N	10911	N	1	12	4		5	55	10.00%	4						C	E
146	600 W / Mt. Comfort Rd.	350 N	500 N	10502	N	1	12	4		5	55	10.00%	4						C	E
147	600 W / Mt. Comfort Rd.	500 N	600 N	8919	N	1	12	10		10	40	5.00%	4	0.00%	100.00	10	10	0	A	B
148	600 W / Mt. Comfort Rd.	600 N	650 N	8919	N	1	12	10		10	40	5.00%	4	0.00%	100.00	10	10	0	A	B
149	600 W / Mt. Comfort Rd.	650 N	700 N	8919	N	1	12	8		10	40	5.00%	5	0.00%	100.00	10	39	0	A	B
150	600 W / Mt. Comfort Rd.	700 N	700 N / Mt. Comfort Rd.	8919	N	1	12	8		10	40	5.00%	3	0.00%	100.00	10	35	0	A	B
151	600 W / Mt. Comfort Rd.	750 N	SR 67 / Broadway	8919	N	1	12	10			40	5.00%	3	0.00%	100.00	10	32	0	A	B
152	600 W / Mt. Comfort Rd.	SR 67 / Broadway	800 N	12634	N	1	12	10		10	40	5.00%	3	0.00%	100.00	10	10	0	A	B

Map #	Street Name	From Street	To Street	Bi-directional Traffic Volume, ADT	Is street both undivided AND unstriped? (Y or N)	# of Through Lanes per Direction	Width of Outside Lane, in ft.	Paved Shoulder, in ft.	Marked Parking, in ft.	Bike Lane Width, in ft.	Posted Speed Limit, MPH	% of Heavy Vehicles	FHWA's Pavment Condition Rating (5= Best, 1 = Worst)	% of Road Segment with occupied on-street parking	% of Segment with Sidewalk	Sidewalk Width, in ft.	Sidewalk Buffer / Parkway Width, in ft.	Buffer / Parkway average tree spacing, in ft.	BLOS SCORE	ADJUSTEDPLOS SCORE
153	600 W / Mt. Comfort Rd.	800 N	900 N	12019	N	1	12	8		8	40	5.00%	4		100.00	8	37	0	A	B
154	600 W / Mt. Comfort Rd.	900 N	CR 1000 / 96th St	12019	N	1	12	8		8	40	5.00%	4		100.00	8	33	0	A	B
155	500 W	US 52	RR Crossing	5900	N	1	10				30	4.00%	4						D	F
156	500 W	RR Crossing	Stonehaven Ln	5900	N	1	10	10		10	30	4.00%	4		100.00	10	8		A	B
157	500 W	Stonehaven Ln	Cedar Cove Dr.	5900	N	1	10	10		10	30	4.00%	4		100.00	10	8		A	B
158	500 W	Cedar Cove Dr.	300 S	5900	N	1	10	10		10	40	4.00%	4		100.00	10	10		A	B
159	500 W	300 S	200 S	5900	N	1	10	10		10	50	5.00%	4		100.00	10	10		A	B
160	500 W	200 S	100S	5900	N	1	10	10		10	50	5.00%	4		100.00	10	10		A	B
161	500 W	100 S	US 40	5900	N	1	10	10		10	45	5.00%	4		100.00	10	10		A	B
162	500 W	600 N	700 N	868	N	1	9	0	0	0	50	1.00%	3	0.00%	0.00	0	0	0	D	F
163	500 W	700 N	SR 234	828	N	1	9	0	0	0	50	1.00%	4	0.00%	0.00	0	0	0	C	F
164	500 W	SR 234	900 N	984	N	1	9	0	0	0	45	1.00%	4	0.00%	0.00	0	0	0	C	F
165	500 W	900 N	1000 N	664	N	1	9	0	0	0	50	1.00%	3	0.00%	0.00	0	0	0	C	F
166	200 W	US 40	100 N	2217	N	1	10	10		10	45	5.00%	4		100.00	10	10		A	B
167	200 W	100 N	200 N	1937	N	1	10	10		10	45	5.00%	4		100.00	10	10		A	B
168	200 W	200 N	300 N	1760	N	1	10	10		10	45	5.00%	4		100.00	10	10		A	B
169	200 W	300 N	380 N	1612	N	1	10	10		10	45	5.00%	4		100.00	10	10		A	B
170	200 W	380 N	400 N	1612	N	1	10	10		10	30	5.00%	4		100.00	10	10		A	B
171	200 W	400 N	Grace Baptist Church	1364	N	1	10	10		10	30	5.00%	3		100.00	10	9		A	B
172	200 W	Grace Baptist Church	500 N	1364	N	1	10	10		10	45	5.00%	3		100.00	10	10		A	B
173	200 W	500 N	600 N	1210	N	1	10	10		10	50	5.00%	5		100.00	10	10		A	B
174	200 W	600 N	700 N	1758	N	1	11	10		10	55	5.00%	4		100.00	10	10		A	B
175	200 W	700 N	SR 234	1037	N	1	11	10		10	55	5.00%	4		100.00	10	10		A	B
176	200 W	SR 234	900 N	2700	N	1	12	10		10	45	10.00%	3		100.00	10	10		A	B
177	200 W	900 N	Fortville Pike	2700	N	1	12	10		10	45	10.00%	4		100.00	10	10		A	B
178	Franklin St.	400 S	300 S	1132	N	1	10	10		10	50	5.00%	3		100.00	10	10		A	B
179	Franklin St.	300 S	200 S	1380	N	1	10	10		10	50	5.00%	4		100.00	10	10		A	B
180	Franklin St.	200 S	100 S	1630	N	1	10	10		10	50	5.00%	3		100.00	10	10		A	B
181	Franklin St.	100 S	Tague Street	4913	N	1	11.5	16	0	10	45	8.00%	3.5	0.00%	100.00	10	10	0	A	B
182	Franklin St.	Tague Street	US 40	5776	N	1	11	10	0	10	35	8.00%	3.5	0.00%	100.00	10	10	0	A	B
183	Franklin St.	US 40	7th Street	3618	N	1	14	3	0	10	30	8.00%	3	0.00%	100.00	3	10	0	A	B
184	Franklin St.	7th Street	McKenzie Rd. / 100 N	4913	N	1	10	10	0	10	35	8.00%	3.5	0.00%	100.00	10	11	0	A	B
185	Franklin St.	McKenzie Rd. / 100 N	200 N / New Rd	3216	N	1	9.5	10	0	10	40	8.00%	2.5	0.00%	100.00	8	10	0	A	B
186	Frnaklin St. / Fortville Pike	200 N / New Rd.	300 N	2340	N	1	9.5	10	0	10	45	8.00%	3	0.00%	100.00	8	19	0	A	B
187	Fortville Pike	300 N	375 N	3949	N	1	10				50	10.00%	4						F	F
188	Fortville Pike	375 N	500 N	3557	N	1	10				50	10.00%	4						F	F
189	Fortville Pike	500 N	600 N	3034	N	1	10				50	10.00%	4						F	F
190	Fortville Pike	600 N	700 N	2589	N	1	10				50	10.00%	4						F	F
191	Fortville Pike	700 N	SR 234	2574	N	1	10				50	10.00%	4						F	F
192	Fortville Pike	SR 234	900 N	4200	N	1	11	0	0	0	55		3						D	F
193	Fortville Pike	900 N	200 W	3400	N	1	11	0	0	0	45	4.00%	3						E	F
194	Fortville Pike	200 W	Saundra Street	3400	N	1	11	0	0	0	45	4.00%	3						E	F
195	Fortville Pike	Saundra Street	Garden St / 1000 N	3400	N	1	11	0	0	0	30	4.00%	3						D	F
196	Fortville Pike	Garden St / 1000 N	SR 67 / Broadway St	6900	N	1	11	0	8	0	30	4.00%	3	12.00%	100.00	4	7		B	B
197	400 E	100 S	US 40	450	Y	1	10				55	5.00%	3						C	F
198	400 E	US 40	100 N	1364		1	8.5	10	0	10	45	32.00%	5	0.00%	100.00	8	16	0	F	B
199	400 E	100 N	200 N	1000	Y	1	10				55	5.00%	4						C	F
200	400 E	200 N	300 N	1039	Y	1	10				55	5.00%	4						C	F
201	400 E	300 N	400 N	997	Y	1	10				55	5.00%	5						C	F
202	400 E	400 N	500 N	184	Y	1	10				55	5.00%	3						B	F
203	400 E	500 N	600 N	470	Y	1	10				55	5.00%	4						C	F

